

Rain Garden Plants

Rain gardens are gardens that are planted where rainwater is purposely channeled into the site. Depending on the slope and amount of rain that can move into the garden, there may be standing water at all times or only after a significant rainfall. This list includes plants for the lowest part of the rain garden in shallow water or wet soils, to the upland or dry portion of the rain garden.

Compiled by Sally Hausken, Becker Co. Master Gardener, and Gregg Thompson, Metro Soil & Water District. Sally answers questions at Plant Clinics in Becker County and has been a community leader in opening Sucker Creek Preserve in Detroit Lakes, MN. Master Gardeners often work with local watershed districts to plan and plant gardens where rainwater runoff is an issue.

| Botanical Name | Common Name | Height | Moisture* | Exposure** | Native Habitat | Fl Color | Bloom Time |
|--|-----------------------|---------|-----------|------------|----------------------------|----------|------------|
| Aquatic Plants: grown in less than 12" of water, soil is always saturated | | | | | | | |
| <i>Carex comosa</i> | bottlebrush sedge | 24-42" | s,w,um | S | marsh, peatland, lake edge | green | May-June |
| <i>Carex crinita</i> | fringed sedge | 30-42" | s,w,um | S | marsh, swamp, lake edge | green | May-June |
| <i>Carex lacustris</i> | lake sedge | 24-36" | s,w,um | S | marsh, swamp, lake edge | green | May-June |
| <i>Carex stricta</i> | tussock sedge | 24-36" | s,w,um | S | swamp, marsh, peatland | green | May-June |
| <i>Eleocharis palustris</i> | spike rush | 6-24" | s,w,um | S | wetland, wet prairie | brown | August |
| <i>Iris versicolor</i> | blue flag iris | 24-36" | s,w | S, PS | marsh, peatland, lake edge | blue | June-July |
| <i>Juncus effusus</i> | soft rush | 24-48" | s,w,um | S | swamp, marsh, lake edge | brown | July-Aug |
| <i>Sagittaria latifolia</i> | common arrowhead | 24-42" | s,w | S, PS | lake edge, marsh | white | July-Aug |
| <i>Scirpus acutus</i> | hardstem bulrush | 36-108" | s,w | S | lake edge, marsh | green | June-July |
| <i>Scirpus validus</i> | softstem bulrush | 36-108" | s,w | S | marsh, swamp, lake edge | brown | July-Aug |
| Non-Aquatic Plants: Wildflowers or Forbs | | | | | | | |
| <i>Agastache foeniculum</i> | fragrant hyssop | 24-40" | um,ud | PS | prairie, savanna | blue | June-Oct |
| <i>Allium stellatum</i> | prairie wild onion | 12-24" | um,ud | S, PS | prairie, savanna | pink | July-Aug |
| <i>Anaphalis margaritacea</i> | pearly everlasting | 6-18" | um,ud | S, PS | prairie, savanna, woodland | white | July-Sept |
| <i>Anemone canadensis</i> | Canada anemone | 12-24" | w,um | PS, Sh | prairie, marsh, swamp | white | May-July |
| <i>Arisaema triphyllum</i> | jack-in-the-pulpit | 8-24" | w,um | PS, Sh | woodland, forest | green | April-June |
| <i>Asclepias incarnata</i> | swamp milkweed | 36-48" | w,um | S | prairie, marsh, lake edge | lavender | June-Aug |
| <i>Asclepias tuberosa</i> | butterfly flower | 12-24" | ud | S, PS | prairie, savanna | orange | June-Sept |
| <i>Aster novae-angliae</i> | New England aster | 24-48" | w,um | S, PS | prairie, marsh, swamp | blue | Aug-Oct |
| <i>Boltonia asteroides</i> | boltonia | 48-96" | w,um | S, PS | prairie, marsh, swamp | white | Aug-Sept |
| <i>Dalea purpurea</i> | purple prairie clover | 12-24" | ud | S | dry prairie, savanna | purple | June-July |
| <i>Echinacea angustifolia</i> | purple coneflower | 24-36" | um,ud | S, PS | prairie, savanna | purple | July-Aug |
| <i>Eupatorium maculatum</i> | Joe-Pye weed | 24-48" | w,um | S, PS | wet prairie, marsh, swamp | purple | July-Sept |
| <i>Gentiana andrewsii</i> | bottle gentian | 18-30" | w,um | S, PS | prairie, marsh, lake edge | blue | Aug-Oct |
| <i>Geum triflorum</i> | prairie smoke | 6-12" | um,ud | S | dry prairie, woodland | purple | April-June |

Rain Garden Plants

This newly installed rain garden is a joint effort of Carpenter Nature Center, Washington Co. Master Gardeners, Washington Conservation District, Dakota Co. Board of Commissioners, and volunteers who did the planting. The garden is adjacent to the new visitor center at Carpenter Nature Center.



Runoff from the parking lots at the Minnesota Landscape Arboretum is channeled into these rain garden planting beds and supports a wide variety of plants.

| Botanical Name | Common Name | Height | Moisture* | Exposure** | Native Habitat | Fl Color | Bloom Time |
|--|-------------------------|---------|-----------|------------|----------------------------|----------|------------|
| <i>Helianthus maximiliani</i> | Maximilian sunflower | 24-108" | w,um | S | swamp, prairie, lake edge | yellow | Aug-Oct |
| <i>Liatriis pycnostachya</i> | prairie blazing star | 24-36" | w,um | S | prairie, marsh, lake edge | purple | July-Sept |
| <i>Lobelia cardinalis</i> | cardinal flower | 24-48" | w,um | S, PS | prairie, marsh, lake edge | red | July-Oct |
| <i>Lobelia siphilitica</i> | great blue lobelia | 20-30" | w,um | S | prairie, marsh, lake edge | blue | July-Oct |
| <i>Monarda fistulosa</i> | wild bergamot | 24-48" | um,ud | S, PS | prairie, savanna, woodland | lavender | July-Aug |
| <i>Rudbeckia hirta</i> | black-eyed Susan | 3-4' | um,ud | S, PS | prairie, savanna | yellow | June-Oct |
| <i>Rudbeckia laciniata</i> | wild goldenglow | 36-108" | w,um | S, PS | prairie, swamp, lake edge | yellow | July-Aug |
| <i>Thalictrum dasycarpum</i> | tall meadow rue | 36-72" | w | S, PS | prairie, swamp, lake edge | cream | June |
| <i>Uvularia grandiflora</i> | large-flowered bellwort | 12" | um | PS | deciduous forest | yellow | May |
| <i>Verbena hastata</i> | blue vervain | 24-60" | w,um | S, PS | prairie, marsh, swamp | blue | June-Sept |
| <i>Zizia aurea</i> | golden Alexander | 12-36" | w,um | S, PS | prairie, savanna, woodland | yellow | May-July |
| Graminoides (grasses and grass-like plants) | | | | | | | |
| <i>Acorus calamus</i> | sweet flag | 36" | s,w | S, PS | marsh, peatland, lake edge | yellow | July-Aug |
| <i>Andropogon gerardii</i> | big bluestem | 36-72" | um,ud | S, PS | prairie, savanna, woodland | purple | July-Sept |
| <i>Bouteloua curtipendula</i> | side oats grama | 1-2' | um,ud | S | prairie, savanna, woodland | red | July-Sept |
| <i>Bouteloua gracilis</i> | blue grama | 6-18" | um,ud | S | prairie, savanna | purple | July-Sept |
| <i>Bromus kalmii</i> | Kalm's brome | 24-36" | w,um,ud | PS, Sh | prairie, savanna, woodland | green | June-July |
| <i>Calamagrostis canadensis</i> | bluejoint grass | 36-72" | w,um | S, PS, Sh | prairie, marsh, swamp | green | July-Sept |
| <i>Carex bebbii</i> | Bebb's sedge | 24-36" | w,um | S | marsh, swamp, lake edge | green | May-June |
| <i>Carex comosa</i> | bottlebrush sedge | 24-42" | s,w,um | S | marsh, peatland, lake edge | green | May-June |
| <i>Carex lacustris</i> | lake sedge | 24-36" | s,w,um | S | marsh, swamp, lake edge | green | May-June |
| <i>Carex pensylvanica</i> | Pennsylvania sedge | 6-8" | um,ud | S, Sh | dry to mesic forest | brown | May |
| <i>Carex scoparia</i> | pointed broom sedge | 6-30" | w | S | marsh, wetland, lake edge | tan | May-June |

Rain Garden Plants

| Botanical Name | Common Name | Height | Moisture* | Exposure** | Native Habitat | Fl Color | Bloom Time |
|---|-------------------------|--------|-----------|------------|-----------------------------|----------|-------------|
| Graminoides (grasses and grass-like plants), continued | | | | | | | |
| <i>Carex sprengelii</i> | Sprengel's sedge | 12-24" | um,ud | S | woodland, forest | green | June-July |
| <i>Carex stricta</i> | tussock sedge | 24-36" | s,w,um | S | swamp, marsh, peatland | green | May-June |
| <i>Carex vulpinoidea</i> | fox sedge | 12-36" | w,um | S | swamp, marsh, lake edge | green | May-June |
| <i>Eleocharis palustris</i> | spike rush | 6-24" | s,w,um | S | wetland, wet prairie | brown | Aug |
| <i>Elymus hystrix</i> | bottlebrush grass | 24-48" | w,um,ud | PS, Sh | forest, woodland, lake edge | green | June-July |
| <i>Glyceria canadensis</i> | rattlesnake manna grass | 24-36" | w | S | marsh, peatland, lake edge | green | July-Aug |
| <i>Glyceria grandis</i> | tall manna grass | 36-60" | w | S | swamp, peatland, lake edge | green | July-Aug |
| <i>Hierochloa odorata</i> | sweet grass | 12-24" | w,um | S | lake edge, marsh, prairie | green | May-June |
| <i>Juncus effusus</i> | soft rush | 24-48" | s,w,um | S | swamp, marsh, lake edge | brown | July-Aug |
| <i>Juncus tenuis</i> | path rush | 6-12" | w,um | S, PS, Sh | swamp, marsh, lake edge | brown | July-Aug |
| <i>Koeleria macrantha</i> | June grass | 12-24" | um,ud | S | prairie, savanna, woodland | green | June-July |
| <i>Panicum virgatum</i> | switchgrass | 36-72" | w,um,ud | S | prairie, swamp, lake edge | purple | June-Oct |
| <i>Schizachyrium scoparium</i> | little bluestem | 24-48" | um,ud | S | prairie, savanna, woodland | amber | July-Sept |
| <i>Scirpus atrovirens</i> | green bulrush | 36-48" | w | S | marsh, swamp, lake edge | brown | June-July |
| <i>Scirpus cyperinus</i> | wool grass | 36-48" | s,w,um | S | marsh, swamp, lake edge | brown | June-July |
| <i>Scirpus validus</i> | softstem bulrush | 36-96" | s | S | lake edge, marsh | brown | June-Aug |
| <i>Sorghastrum nutans</i> | Indian grass | 24-72" | w,um | S, PS | prairie, savanna, woodland | amber | July-Sept |
| <i>Spartina pectinata</i> | cord grass | 36-72" | w,um | S | prairie, marsh, lake edge | yellow | Aug-Oct |
| Shrubs and Small Trees | | | | | | | |
| <i>Amelanchier laevis</i> | serviceberry | 15-25' | um,ud | PS | forests, fields, clearcuts | white | April-May |
| <i>Aronia melanocarpa</i> | black chokeberry | 3-6' | w,um,ud | S, PS | lake edge, forest, swamp | white | May-June |
| <i>Cornus alternifolia</i> | pagoda dogwood | 15-25' | um,ud | PS | forest, swamp | white | May-July |
| <i>Cornus racemosa</i> | gray dogwood | 5-15' | um,ud | PS, Sh | forest, fields, lake edge | white | May-July |
| <i>Cornus sericea (stolonifera)</i> | red-osier dogwood | 6-12' | w,um,ud | S, PS, Sh | forest, wetland, lake edge | white | May-July |
| <i>Corylus americana</i> | American hazel | 8-15' | um,ud | S | forest, wetland, lake edge | purple | March-April |
| <i>Diervilla lonicera</i> | bush honeysuckle | 2-4' | um,ud | PS, Sh | woodland, forest, clearcuts | yellow | June-July |
| <i>Prunus virginiana</i> | chokecherry | 20-30' | um,ud | S, PS | forest, woodland | white | May |
| <i>Sambucus pubens</i> | red berried elderberry | 4-8' | um,ud | PS, S,Sh | dry to moist forest | white | May |
| <i>Symphoricarpos albus</i> | snowberry | 4-6' | ud | S | forest, woodland | whitish | May-July |
| <i>Viburnum atropurpurea</i> | downy arrowwood | 6' | ud | S, PS | woodland, forest, clearcuts | white | May-June |
| <i>Viburnum lentago</i> | nannyberry | 12-18' | um,ud | PS | forest, swamp, lake edge | white | May-June |
| <i>Viburnum trilobum</i> | highbush cranberry | 5-15' | w,um | S, PS | forest, swamp, lake edge | white | June |

* **Moisture Zone Key:** ud = upland-dry (dry, well-drained soils); um = upland-mesic (soil is moist, but not wet); w = soil is wet, occasionally standing water; s = shallow water most of the time

** **Exposure Key:** S = full sun, PS = partial sun, Sh = shade